

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

**Defective images within this document are accurate representations of
the original documents submitted by the applicant.**

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORLED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Figure 1




Fig 2




Figure 3 Simulated (normalised) power Doppler versus vibration amplitude for $A = 0.1$ (solid), $A = 0.2$ (dashed) and $A = 0.3$ (dotted). Parameters were as for Figure 1 with the exception of vibration frequency which was $f_v = 40Hz$.





Figure 4 The previous Figure with the abscissa scaled.




B-Scan




Power
Doppler

Figure 5



B-Scan

(a)




Power
Doppler

(b)

Figure 6

ctd



Sonoelastogram

(c)

Figure 6